

**To:** [Nonresponsive based on revised scope]@erllc.com]; McCauley, Joanna[McCauley.Joanna@epa.gov]  
**Cc:** [Nonresponsive based on revised scope]@erllc.com]  
**From:** Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]  
**Sent:** Wed 9/2/2020 11:29:08 PM (UTC)  
**Subject:** RE: 3-S467 Shiloh Church Road 1900-55 8-25-2020 for signature  
Shiloh-signed-1900-8-25-20 20200902 0001.pdf

EPA signed copy attached  
Needs RM signature

Thanks  
Chris

---

**From:** [Nonresponsive based on revised scope]@erllc.com>  
**Sent:** Monday, August 31, 2020 9:58 AM  
**To:** Wagner, Christine <Wagner.Christine@epa.gov>; McCauley, Joanna <McCauley.Joanna@epa.gov>  
**Cc:** [Nonresponsive based on revised scope]@erllc.com>  
**Subject:** 3-S467 Shiloh Church Road 1900-55 8-25-2020 for signature

Good Morning Chris and Joanna, please see the attached 8/25/2020 for signature. I am also going to resend 8/26/2020 for signature as well.


We appreciate it

Thank you

[Nonresponsive based on revised scope]

Field Cost Accountant  
Environmental Restoration, LLC

[Phone icon] [Nonresponsive based on revised scope]  
[Email icon] [Nonresponsive based on revised scope]@erllc.com



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.